



Safari Cabin

Compact and spacious

Your guests will love to spent their holiday here when they want to stay close to the original way of camping. Back to basic with a little touch of luxury.

The Safari Cabin is a compact but spacious safari tent. Its robust wooden frame and the canvas walls gives the tent a sturdy look, but it also has a cozy feeling due to its small size.

The Safari Cabin has 2 bedrooms and is available for up to 5 people. The wooden frame is shortened and the Safari Cabin doesn't have guy ropes, so there's more room around the outside of the tent.

- ✔ Shortened frame for more room around the tent
- ✔ Robust but cosy
- ✔ Sturdy wooden beams
- ✔ Long durability

Floorplans Safari Cabin

Other lay-outs are possible.

Safari Cabin



- ✓ Total surface: 35 m²
- ✓ Inner tent surface:
5 x 5 m (25 m²)
- ✓ Suitable for 2-5 people
- ✓ Including a 10 m² veranda

Photos



Specifications

Specifications materials, applicable for all sizes.

Elements	Colour	Specifications	Technical standards
PVC Roof	Beige Brown Green	UV and flame retardant PVC 650gr/ft ² . The PVC is easy to clean and meets the stringent European, British and American fire regulations (M2, B1 and DIN 4102 standard).	BS 7837 DIN 4102 – Class B1 M2 Classification NFP 92-503 EN 13501-1 B-s3, d0 Total weight DIN and ISO 2286-2 – 650 gr/ft ² Certificate available
Canvas inner tent	Beige	Flame retardant and Royal Ten Cate Campshield 420gr/ft ² with the same unique breathability as cotton. In 2009 Ten Cate outdoor Fabrics introduced an innovative fabric with inherently flame retardant properties. The fibers in this fabric provide extra security and protection. It is scorch, glow and spark resistant. Textile material that is flame retardant has an inhibiting effect on the occurrence of fire and slow fire spreading. The Royal Ten Cate Campshield meets with the strict standards of the European, British and American fire regulations. The Campshield of Ten Cate is designed for year round use (summer-winter). It will remain in perfect condition, in all kind of weather standards for many years and is water and dirt repellent. The windows are double layer made of mosquito net and transparent PVC. They can be closed with roll downs blends.	BS 7837: 1996 DI N 4102 part 1 – 1998 Of Class B2 M2 Classification NFP 92-503 (1995) CSE RF 1/75/A (1984) Comfort CPAI 84 Water- and dirt repellent Weight 420gr/ft ² + 5% Certificate available
Fixing		The inner tent hanging system is a unique system. It has point loading, so the weight is distributed by multiple fixing points across the surface of the structure.	
Construction		The connectors of the construction are made from 0.0095 ft hot dipped galvanized steel. The poles have a dia of 2.6 or 3.3 ft.	The frame posts are impregnated under high pressure. Certificate available

Why choose us?

It's all in the detail. Our beautiful, sustainable glamping tents are not mass produced, but are created by a team of specialists with a passion for outdoor living. We personally manage every aspect, from the initial concept and product design, to the sourcing of eco-friendly materials and construction, to quality control. And it doesn't stop there, we provide ongoing service and support, long after you have bought your tent or lodge.

Interested?

Get in touch to find out more about our tents, or come and see them for yourself. Email us on sales@luxetenten.com and we'll get right back to you or call us on +31 (0) 527 620 325.

More info about the materials

[Video about Polycotton Ka46](#)

[Video about Campshield](#)

All rights reserved. This brochure is informative. LuxeTenten can implement (design) changes.